

USNEA

by Rosalee de la Forêt



Usnea
Text by Rosalee de la Forêt.
Illustrations by Tatiana Rusakova
Ebook designed by Tudor Maier
©2020 Rosalee de la Foret, LLC. All rights reserved.



No part of this publication may be reproduced in whole or in part, or stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission of the author.

The herbal and plant information in this Workbook is for educational purposes only. The information within the Workbook is not intended as a substitute for the advice provided by your physician or other medical professional. If you have or suspect that you have a serious health problem, promptly contact your health care provider. Always consult with a health care practitioner before using any herbal remedy or food, especially if pregnant, nursing, or have a medical condition.

Published by Rosalee de la Forêt, LLC, Methow Valley, WA First digital edition, March 2020. Published in the U.S.A.



Table of Contents

Usnea Summary	4
Herbal Energetics	5
Effects Against Bacteria	5
Effects Against Viruses	6
Effects Against Fungal Infections	6
Potential Against Cancer	6
Healing Wounds	7
Botanically Speaking	7
Harvesting Usnea	8
Plant Preparations	8
Dosage Suggestions	8
Special Considerations	9
Looking for Usnea?	11
About Rosalee	12



Jsnea 4

Usnea Summary



Scientific Name: *Usnea longissimus, U. barbata, U. florida* +many more

Common Names: Old man's beard, beard lichen, tree moss

Family: Parmeliacaea

Parts Used: the whole lichen (thallus)

Taste: bitter

Energetics: cool, dry

Plant Properties: antimicrobial, antifungal, vulnerary, immune modulating, astringent, anti-inflammatory

Used for: infections, pneumonia, urinary tract infections, sore throat, fungal infections, vaginal infections, sinus infections, colds/flu, mastitis, boils

Plant Preparations: tincture, oil/salve, powder, wash, gargle, douche, nasal spray

Clinging to the branches above, usnea acts as the "lungs of the forest." Commonly called old man's beard, this lichen isn't a plant but instead a complex relationship between an alga and a fungus. The fungus provides a strong inner core, while the green alga gathers energy from the sun.

I rarely use the prefix "anti-" to describe how an herb works. To say an herb is antimicrobial or antifungal is often far too limiting. Herbs rarely work in one simple way. Instead they are rich in many different constituents (gifts!) which can aid us in a variety of ways that go beyond a limited "anti-" action.

Usnea can easily fall prey to peoples' desire to put it into "anti-" categories. Many herbal monographs claim that it is antibacterial, antifungal, and antiviral. Rather than being satisfied with those descriptions, it's worth diving deeper to more fully understand and appreciate the actions of this lovely medicinal lichen.



Herbal Energetics

Usnea is cooling and has a slightly bitter taste. It's often used when there are signs of heat, inflammation, and infection, which can include redness, pain, and itchiness. It has a special affinity for the lungs and the urinary tract.

Beyond herbal medicine, usnea offers us other ecological gifts. As the "lungs of the forest," usnea acts like a sponge which absorbs particulates in the air. This makes it very susceptible to pollution. As the American Botanical Council points out, "When lichens disappear, they give early warning of harmful conditions."

Effects Against Bacteria

Usnea has long been used around the world to address infections, including sore throats, lung infections, wounds, urinary tract infections, and vaginal infections.

Usnea is an antimicrobial herb, meaning that it affects a wide range of pathogens. However, it does not act like a pharmaceutical antibiotic that indiscriminately kills all bacteria.

Bacteria can be classified into two types: gram-positive and gram-negative. Both of these types can be pathogenic in nature. Generally speaking, gram-negative bacteria can be harder to control, as they have a firmer cell wall and can more quickly develop resistance to antibiotics.

Many studies have shown that usnea or isolated constituents extracted from it are effective against many types of gram-positive bacteria, including staph (*Staphylococcus simulans*, *S. epidermidis*, and *S. aureus*), strep (*Streptococcus spp.*), *Bacillus licheniformis*, *B. megaterium*, *B. subtilis*, and *Enterococcus faecalis*.^{2,3}

It's widely written that usnea is not as effective against gram-negative bacteria. However, a 2013 study in India showed that the local species (*U. ghattensis*) was effective in vitro against certain types of both gram-positive and gram-negative bacteria. It would be interesting to see human clinical trials regarding usnea's potential benefits against gram-negative bacterial infections.

Recent research has given us some clues as to how usnea may work. A 2020 study showed that usnea inhibits quorum sensing and biofilm formation for Pseudomonas aeruginosa, an opportunistic multidrugresistant pathogen. In addition, herbalist Dr. Christopher Hobbs shares that usnea's polysaccharides may boost or modulate immune system activity.

One in vitro study looked at an extract of usnea against gram-negative *H. pylori* bacteria and showed positive results. More research is needed, however.

Usnea is not believed to negatively affect healthy gut bacteria. While pharmaceutical antibiotics may be useful for targeting one or another specific type of bacteria, they also are powerful drugs that can indiscriminately kill bacteria and take a negative toll on beneficial bacteria in the gut.

"Usnea should be taken as a tincture or a salve. I recommend combining it with herbs such as echinacea, yerba mansa, or osha when treating colds, flu, and sore throats when bacterial infection is suspected. It is indispensable in the treatment of strep throat, and can prevent the need for antibiotics."

Paul Bergner Herbalist

Effects Against Viruses

Few studies have been done regarding usnea's antiviral activity. One older in vitro study concluded that "Usnea complanta exhibited significant antiviral activity at a concentration nontoxic to the cell line used."

Another older in vitro test showed usnea's potential against Epstein-Barr virus (EBV or human herpesvirus-4/HHV-4).9 Steven Buhner reports that it is effective against the human herpesvirus family of viruses.10

Effects Against Fungal Infections

Usnea is also commonly used as an antifungal herb. It can be used both externally and internally for a variety of fungal infections of the skin, genitals, and nose (sinus infections are often caused by a fungal pathogen).

Studies have shown usnea extracts to be effective against *Trichophyton rubrum*, the common skin fungus causing athlete's foot, "jock itch," and ringworm in humans.¹¹ A 2017 in vitro study showed that usnea was effective against Candida albicans, an opportunistic yeast that can cause mouth, gut, and vaginal fungal imbalances in humans.¹²

It is worth noting that fungal infections, especially chronic ones, can be difficult to get rid of. Diet (including reduced intake of simple carbohydrates/sugars) and other lifestyle considerations have to be undertaken and herbs may be needed for extensive periods of time to fully resolve chronic fungal issues.

Potential Against Cancer

Some studies have shown that usnea may have potential benefits against cancer. Researchers tested four different lichens against breast and lung cancer cell lines. Of the four tested, *Usnea intermedia* exhibited strong anti-growth activity by promoting apoptosis (programmed cell death). The researchers

concluded that "Usnea intermedia warrants for further in vivo evaluation as a new alternative in cancer treatment." ¹³

Another study showed that usnea extracts invoked apoptosis-like cell death by causing DNA damage in lung and liver cancer cells.¹⁴

An in vitro 2019 study evaluated the effects of an extract of usnea on multidrug-resistant leukemia cells. The conclusion was: "These data provide compelling evidence that [usnea extract] is a promising agent against multi-drug resistance in leukemia cell lines and suggest a promising therapeutic approach for leukemia." ¹⁵

Healing Wounds

Usnea is a fantastic choice for treating wounds. In addition to being helpful against infections, it also has wound-healing abilities that can quicken the healing process.

To apply usnea on a wound, you can use a diluted tincture, powdered herb, wash made from a strong tea, or salve (if the wound is not infected).

Botanically Speaking

While usnea is certainly a medicinal herb, it's not a flowering plant!

Usnea is a lichen, which is a symbiotic relationship between an alga and a fungus. There are over 600 species of usnea that grow across the world and many of these species are interchangeably used. You can research your local usnea species by checking regional plant identification resources and talking to local herbalists and plant experts.

The best way to identify an usnea thallus (the body or vegetative portion) is by taking a moistened strand and gently pulling it apart. If it is usnea, you will see an inner white- or cream-colored strand that is somewhat elastic. This inner white strand is the fungus core, while the green outer covering is the alga. If the usnea is too dry, the inner strand may be hard to see. Note also that the branches of the usnea thallus are always round in cross section.

Usnea grows on trees. It especially likes pine, spruce, juniper, fir, and hardwoods like oak, hickory, walnut, apple, and pear. It prefers moist habitats, such as places where there is high humidity or regular fog or rain.



Harvesting Usnea

Usnea is a ubiquitous lichen that grows all over the Northern Hemisphere. However, it is a very slow-growing lichen that could be easily overharvested. The best way to ensure sustainable harvesting practices is to gather usnea from freshly fallen branches after a storm or in the regular shedding of branches in a forest.

Another consideration for harvesting usnea is that it can absorb heavy metals, so it is especially important to gather it in an area that doesn't have a lot of air pollution.

Many other species of lichen can be confused with usnea. Strap lichen (Ramalina spp.) and oakmoss (Evernia spp.) are nontoxic lichens with flat, strap-like thalli that could be confused with usnea. The somewhat toxic wolf lichen (Letharia vulpina) can be confused with usnea to the untrained eye. Wolf lichen, which grows in the Pacific Northwest, Northern Rockies, and Europe, is much brighter green in color and does not contain the inner filament.

Plant Preparations

The constituents of usnea are not particularly water soluble. As a result, it is often recommended to be prepared as a tincture (alcohol extract) or oil/salve. However, I think it is important to note that alcohol was not historically widely available and alcohol is not used in some cultural settings today, so usnea may also be used as a tea.

When making an usnea tincture, it is recommended to use heat in the process. Of course, heat and alcohol can be a volatile combination. The best way to do this is to place a tightly sealed jar of tincture in the dishwasher for several cycles. You can also heat the sealed jar of tincture in a hot water bath or Crock-Pot.

Usnea also works well as a salve. First, powder the dried lichen well. Infuse the usnea powder into oil using the hot oil infusion method. Once the oil is made and strained, it can be prepared into a standard salve.

Usnea is commonly used for vaginal bacterial or fungal infections. It can be used as a douche by diluting the tincture in water or by making a strong tea. Herbalist Scott Kloos recommends diluting 1/2 fluid ounce of usnea tincture in 16 ounces of water to make an effective douche. 16

Dosage Suggestions

Tincture (dried): 1:5, 50% alcohol. 1-5 mL, 3-5 times daily

Special Considerations

- The Botanical Safety Handbook gives usnea its highest safety rating.
- Safety during pregnancy has not been established and many herbalists recommend against using it during pregnancy.
- There are many different lichens out there. As always, be 100% positive regarding identification.
- You may see warnings about usnea toxicity, especially in relationship to the liver. The basis of these claims comes from studies (or case studies) using isolated usnic acid, not from using the whole plant.



Citations

1. "Expanded Commission E: Usnea." Accessed March 10, 2020. http://cms.herbalgram.org/expandedE/Usnea.html?ts=1583 852839&signature=7600305d53e75998891ae4648d6063f5.

- 2. Behera, B. C., Neeraj Verma, Anjali Sonone, and Urmila Makhija. "Antioxidant and Antibacterial Activities of Lichen Usnea Ghattensis in Vitro." *Biotechnology* Letters 27, no. 14 (July 2005): 991–95. https://doi.org/10.1007/s10529-005-7847-3.
- Tozatti, Marcos G., Daniele S. Ferreira, Lúzio G. Bocalon Flauzino, Thaís da Silva Moraes, Carlos H. G. Martins, Milton Groppo, Márcio L. Andrade e Silva, Ana H. Januário, Patricia M. Pauletti, and Wilson R. Cunhaa. "Activity of the Lichen Usnea Steineri and Its Major Metabolites against Gram-Positive, Multidrug-Resistant Bacteria." Natural Product Communications 11, no. 4 (April 2016): 493–96.
- 4. Srivastava, Priya, D. K. Upreti, T. N. Dhole, Apurva K. Srivastava, and Meghanand T. Nayak. "Antimicrobial Property of Extracts of Indian Lichen against Human Pathogenic Bacteria." *Interdisciplinary Perspectives on Infectious Diseases* 2013 (2013). https://doi.org/10.1155/2013/709348.
- Prateeksha, null, Rajesh Bajpai, Mohd Aslam Yusuf, Dalip Kumar Upreti, Vijai Kumar Gupta, and Brahma Nand Singh. "Endolichenic Fungus, Aspergillus Quandricinctus of Usnea Longissima Inhibits Quorum Sensing and Biofilm Formation of Pseudomonas Aeruginosa PAO1." Microbial Pathogenesis 140 (March 2020): 103933. https://doi.org/10.1016/j. micpath.2019.103933.
- 6. Hobbs, C. Usnea: The Herbal Antibiotic and Other Medicinal Lichens. Annapolis, MD: Botanica Press, 1986. Available at: https://www.christopherhobbs.com/wp-website/wp-content/uploads/2015/01/Usnea-booklet-text.pdf
- 7. Safak, Birol, Ihsan Hakki Ciftci, Mehmet Ozdemir, Nilay Kiyildi, Zafer Cetinkaya, Orhan Cem Aktepe, Mustafa Altindis, and Gulsah Asik. "In Vitro Anti-Helicobacter Pylori Activity of Usnic Acid." *Phytotherapy Research: PTR 23*, no. 7 (July 2009): 955–57. https://doi.org/10.1002/ptr.2690.
- 8. Vijayan, P., C. Raghu, G. Ashok, S. A. Dhanaraj, and B. Suresh. "Antiviral Activity of Medicinal Plants of Nilgiris." *The Indian Journal of Medical Research* 120, no. 1 (July 2004): 24–29.
- 9. Yamamoto, Y., Y. Miura, Y. Kinoshita, M. Higuchi, Y. Yamada, A. Murakami, H. Ohigashi, and K. Koshimizu. "Screening of Tissue Cultures and Thalli of Lichens and Some of Their Active Constituents for Inhibition of Tumor Promoter-Induced Epstein-Barr Virus Activation." Chemical & Pharmaceutical Bulletin 43, no. 8 (August 1995): 1388–90. https://doi.org/10.1248/cpb.43.1388.
- 10. Buhner, Stephen Harrod. Herbal Antivirals: Natural Remedies for Emerging Resistant and Epidemic Viral Infections. North Adams, MA: Storey Publishing, 2013.
- 11. Nishanth, Kumar S., R. S. Sreerag, I. Deepa, C. Mohandas, and Bala Nambisan. "Protocetraric Acid: An Excellent Broad Spectrum Compound from the Lichen Usnea Albopunctata against Medically Important Microbes." *Natural Product Research* 29, no. 6 (2015): 574–77. https://doi.org/10.1080/14786419.2014.953500.
- 12. Peralta, Mariana Andrea, María Angel da Silva, María Gabriela Ortega, José Luis Cabrera, and María Gabriela Paraje. "Usnic Acid Activity on Oxidative and Nitrosative Stress of Azole-Resistant Candida Albicans Biofilm." *Planta Medica* 83, no. 3–04 (February 2017): 326–33. https://doi.org/10.1055/s-0042-116442.
- 13. Ozturk, Sule, Merve Erkisa, Seyhan Oran, Engin Ulukaya, Serap Celikler, and Ferda Ari. "Lichens Exerts an Anti-Proliferative Effect on Human Breast and Lung Cancer Cells through Induction of Apoptosis." *Drug and Chemical Toxicology*, March 5, 2019, 1–9. https://doi.org/10.1080/01480545.2019.1573825.
- 14. Ari, F., N. Aztopal, S. Oran, S. Bozdemir, S. Celikler, S. Ozturk, and E. Ulukaya. "Parmelia Sulcata Taylor and Usnea Filipendula Stirt Induce Apoptosis-like Cell Death and DNA Damage in Cancer Cells." *Cell Proliferation* 47, no. 5 (October 2014): 457–64. https://doi.org/10.1111/cpr.12123.
- 15. Wang, Wenjing, Shubin Niu, Luxin Qiao, Feili Wei, Jiming Yin, Shanshan Wang, Yabo Ouyang, and Dexi Chen. "Usnea Acid as Multidrug Resistance (MDR) Reversing Agent against Human Chronic Myelogenous Leukemia K562/ADR Cells via an ROS Dependent Apoptosis." *BioMed Research International* 2019 (February 11, 2019). https://doi.org/10.1155/2019/8727935.
- Kloos, Scott. Pacific Northwest Medicinal Plants: Identify, Harvest, and Use 120 Wild Herbs for Health and Wellness. Portland, Oregon: Timber Press, 2017.



Usnea l

Looking for Usnea?

If you aren't able to harvest usnea near you, here's some other ways you can find it.

- 1. Search for herbal apothecaries near you
- 2. Visit my <u>listing of herb farms and wildcrafters</u> within the US and Canada to find fresh herbs near you.
- 3. Visit Mountain Rose Herbs, an online apothecary that sells high quality organic herbs. They are my first choice for herbs I'm not able to find near me.



Isnea 12



About Rosalee

Relation of the bestselling book Alchemy of Herbs: Transform Everyday Ingredients into Foods and Remedies that Heal as well as the online courses The Taste of Herbs, Herbal Cold Care, and Apothecary: The Alchemy of Herbs Video Companion.

Get more herbal recipes and and exclusive herbal trainings at: *HerbsWithRosalee.com*.












Get more healing herbs in your life with these books by Rosalee de la Forêt



Explore how to transform everyday ingredients into foods and remedies that heal with **Alchemy of Herbs**

Get your bonuses at <u>AlchemyOfHerbs.com</u>

Forage your own healing foods and learn how to handcraft herbal medicines with **Wild Remedies**

Get your bonuses at *WildRemediesBook.com*

